

-21-

CLAIMS

What is claimed is:

1. A method for preventing or for treating chronic pain comprising administering to a patient in need of treatment an effective amount of a synergistic combination of a NK₁ receptor antagonist and a GABA analog.
5
2. A method of Claim 1 wherein the ratio of the GABA analog relative to the NK₁ receptor antagonist is from 50:1 to 1:1 expressed as parts by weight.
- 10 3. A method of Claim 1 wherein the ratio of the GABA analog relative to the NK₁ receptor antagonist is 20:1 expressed as parts by weight.
4. A method according to Claim 1 wherein the NK₁ receptor antagonist is [2-(1*H*-indol-3-yl)-1-methyl-1-(1-phenyl-ethylcarbamoyl)-ethyl]-carbamic acid benzofuran-2-ylmethyl ester [R-(R*,S*)].
- 15 5. A method according to Claim 1 wherein the GABA analog is gabapentin.
6. A method according to Claim 1 wherein the GABA analog is pregabalin.
7. A method according to Claim 1 employing [2-(1*H*-indol-3-yl)-1-methyl-1-(1-phenyl-ethylcarbamoyl)-ethyl]-carbamic acid benzofuran-2-ylmethyl ester [R-(R*,S*)] and gabapentin.
- 20 8. A method according to Claim 1 employing [2-(1*H*-indol-3-yl)-1-methyl-1-(1-phenyl-ethylcarbamoyl)-ethyl]-carbamic acid benzofuran-2-ylmethyl ester [R-(R*,S*)] and pregabalin.
9. A method according to Claim 1 wherein the condition treated is selected from causalgia, neuropathic pain, diabetic neuropathy, post-surgery or

-22-

traumatic neuropathy, postherpetic neuralgia, peripheral neuropathy, entrapment neuropathy, phantom limb and stump pain, neuropathy caused by alcohol abuse, HIV infection, multiple sclerosis, hypothyroidism or anticancer chemotherapy

- 5 10. A pharmaceutical composition comprising synergistic effective amounts of a NK₁ receptor antagonist and a GABA analog.
11. A composition of Claim 10 wherein the ratio of the GABA analog relative to the NK₁ receptor antagonist is from 50:1 to 1:1 expressed as parts by weight.
- 10 12. A composition of Claim 10 wherein the ratio of the GABA analog relative to the NK₁ receptor antagonist is 20:1 expressed as parts by weight.
13. A composition of Claim 10 wherein the NK₁ receptor antagonist is [2-(1*H*-indol-3-yl)-1-methyl-1-(1-phenyl-ethylcarbamoyl)-ethyl]-carbamic acid benzofuran-2-ylmethyl ester [R-(R*,S*)].
- 15 14. A composition of Claim 10 wherein the GABA analog is gabapentin.
15. A composition of Claim 10 wherein the GABA analog is pregabalin.
16. A composition of Claim 10 employing [2-(1*H*-indol-3-yl)-1-methyl-1-(1-phenyl-ethylcarbamoyl)-ethyl]-carbamic acid benzofuran-2-ylmethyl ester [R-(R*,S*)] and gabapentin.
- 20 17. A composition of Claim 1 employing [2-(1*H*-indol-3-yl)-1-methyl-1-(1-phenyl-ethylcarbamoyl)-ethyl]-carbamic acid benzofuran-2-ylmethyl ester [R-(R*,S*)] and pregabalin.

-23-

18. The use of a composition comprising synergistic effective amounts of a NK₁ receptor antagonist and a GABA analog, or pharmaceutically acceptable salts thereof, for the preparation of a medicament useful for preventing or treating chronic pain.